



ACCESSORIES & OPTIONS FOR 'S' SERIES PUMPS

SEE MASTER PRICE LIST FOR LIST PRICES

NOTE: "Option" column checked if item is available built into or onto pump. "Kit" column checked if item available as unassembled kit. Both columns checked if item available either way.

			The transfer de diagont bled the best con	umns checked if item available either way
OPTION	KIT	PART NUMBER	DESCRIPTION	'S' PUMPS TO BE USED WITH/ON
-	Х	P-58-0002	BASE RUNNER KIT - Includes two steel runners (rails) with fasteners. Order with 58-0114 Rubber Feet Kit	up to 6.5 HP engine driven
-	х	P-58-0003	RUBBER FEET KIT - Includes 4 rubber feet with fasteners.	up to 6.5 HP engine driven or close coupled to electric motor
	х	P-58-0006 2	PUMP FITTINGS KIT - strainer, elbow, 2 nipples, 4 rubber feet, male hose adaptors, roll teflon tape. (FOR 3" CHANGE LAST DIGIT FROM '2' TO '3')	All 2" or 3" 'S' pumps.
1-	х	P-58-0008	WHEELED CART	up to 6.5HP
х	х	P-58-0009	ROLL CAGE KIT - Welded one piece silver powder coated steel, rubber feet and mounting hardware	up to 8 HP engine driven
х	х	P-58-0010	HASTELLOY®C WETTED HARDWARE KIT - Includes shaft seal & wetted fasteners.	All pumps with 704 or 706 impeller except engine driven pumps
х	х	P-58-0013	HASTELLOY C SHAFT SEAL with titanium wetted internal fasteners.	All pumps with 704 or 706 impeller except pumps close coupled to engines
х	х	P-58-0059	(Equivalent to part P-58-0013.)	All pumps with 974 or 975 impeller except pumps close coupled to engines
х	х	P-58-0041	(Equivalent to part P-58-0013.)	All pumps close coupled to engines with 704 or 706 impeller
-	х	P-58-0001	PEDESTAL CONVERSION KIT- Parts to convert to plastic pedestal mount with carbon steel shaft into pump.	All pumps
-	х	P-58-0012	STAINLESS STEEL PEDESTAL CONVERSION KIT - Parts to convert to plastic pedestal mount with stainless steel shaft into pump.	All pumps
-	х	P-58-0014	BUNA-N KIT - Buna-N fitted shaft seal, check valve, all 'O'-rings to rebuild pump.	All pumps
х	х	P-58-0015 S	PROTEK ENGINE PROTECTION SYSTEM- used to protect engine in the event of a seal failure. Actually separates pump from engine.	'S' pumps close coupled to engine with $\ensuremath{\mathcal{H}}$ " diameter shaft.
-	х	P-58-0005	EPDM KIT - Same as P-58-0014, except EPDM.	All pumps
-	х	P-58-0017	VITON® KIT- Same as P-58-0014, except Viton.	All pumps
х	х	P-58-0016	HEAVY DUTY BASEPLATE - All shims, fasteners for flexible coupling pedestal pump to electric motor.	Pedestal mounted, and motors with frame size I82, I84, 213, or 215
х	х	P-58-0028	STANDARD DUTY BASEPLATE - All shims, fasteners for flexible coupling pedestal pump to electric motor or gas engine.	Pedestal mounted, and motors with frame sizes 56, 143, 145, & also 3.5 to 6.5 HP engines
x	х	P-58-0020	1½" PIPE FITTINGS KIT, NPT - Two faced steel nipples, one poly- propylene elbow (for PVC nipples order P-58-0037.)	All 1½" pumps
х	х	P-58-0021	2" PIPE FITTINGS KIT, NPT - Same as Kit P-58-0020 (for PVC nipples order P-58-0038.)	All 2" pumps
х	х	P-58-0022	3" PIPE FITTINGS KIT, NPT - Same as Kit P-58-0020 (for PVC nipples order P-58-0039.)	All 3" pumps
х	х	P-58-0040	CLOSE COUPLED ELECTRIC MOTOR CONVERSION KIT - All parts needed to convert a pump to close coupled electric motor drive. (Does not include baseplate; see Kit P-58-0086.)	All pumps



PF-1400M Page 2

		7	T	Page 2
PTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF 'S' PUMPS TO USE WITH/ON
-	Х	P-58-0047	HYDRAULIC MOTOR CONVERSION KIT - Parts to convert	All pumps
	.,	D 50 00/7	pump to CC hydraulic drive, less motor.	
-	Х	P-58-0047	HYDRAULIC MOTOR KIT - Pedestal mounted hydraulic	All pumps
		HYC	motor, SS shaft adapter, shims and fasteners to mount pump	
			to hydraulic motor.	
_	Х	P-58-0048	HYDRAULIC MOTOR BASEPLATE KIT - With fasteners to	Hydraulic motor driven
			mount hydraulic motor driven pump.	1,1111111111111111111111111111111111111
	Х	P-58-0056	REGULAR DUTY BASEPLATE - Powder coated steel. For	All pumps with 5 HP electric motors
			Super 'S' pumps. All fasteners, shims to mount.	
-	Х	P-58-0074	EPDM PUMP REPAIR KIT - EPDM shaft seal and all 'O'-rings	All pumps
		D 50 0000	skin packed on display card.	
-	Х	P-58-0086	CLOSE COUPLED BASEPLATE KIT - Molded base and parts	1½" and 2" pumps
х	х	P-58-0097	for close coupled electric drive. CAST IRON PEDESTAL CONVERSION KIT- Parts to convert	All numne
^	^	1 -30-0097	to cast pedestal mount with	All pumps
			solid stainless steel shaft.	
х	Х	P-58-0097H	CAST IRON PEDESTAL CONVERSION KIT - Same as P-58-	All pumps
			0097 except Hastelloy shaft and mounting screws.	
	v	D 50 0114	DUDDED FEET KIT. Includes 4 with a feet/feet and	
-	Х	P-58-0114	RUBBER FEET KIT - Includes 4 rubber feet/ fasteners.	Use with base rails Kit 0002 on 3.5 HP to 6.5 HP
	х	P-58-0118	CHASSIS AND CARRY HANDLE ASSEMBLY.	engine driven pumps Diesel driven 'S' pumps
	^	1 00 0110	OTAGGICAND CANNT TIANDLE ACCEMBET.	Dieseranven 3 pumps
х	_	P-58-0135A	SILICONIZED GRAPHITE SHAFT SEAL, BUNA-N - Uses	All pumps
			standard stainless steel case and spring, siliconized graphite	
1			faces and Buna-N bellows. Replaces standard carbon/ceramic	
.		D === =	shaft seal.	- ALLES
X	-	P-58-0136A	Same as P-58-0135, except EPDM.	All pumps
X	-	P-58-0137A P-58-0158A	Same as P-58-0135, except Viton.	All pumps
^	-	P-30-0136A	ETFE/SILICONIZED GRAPHITE SHAFT SEAL, EPDM - Special mechanical shaft seal, uses Halar case, siliconized	All pumps
1			graphite faces, EPDM bellows. Replaces standard carbon/	
			ceramic shaft seal.	
х	-	P-58-0159A	ETFE/SILICONIZED GRAPHITE SHAFT SEAL, VITON -	All pumps
			Same as P-58-0158A except Viton bellows.	
Х	-	P-58-0187A	KYNAR/POLYPRO/SILICON CARBIDE SHAFT SEAL - Spe-	All pumps
			cial mechanical shaft seal uses Kynar case, polypropylene	
			retainer, Viton bellows, Elgiloy® spring. Replaces standard	
х		P-58-0189A	shaft seals. KYNAR/POLYPRO/SILICON CARBIDE SHAFT SEAL - Same	All more
^	-	F-30-0103A	as P-58-0187A except EPDM bellows.	All pumps
х	х	P-58-0161	1½" NPT CAMELOT QUICK CONNECT FITTINGS KIT - Two	All 1½" pumps
	-		quick connect adapters, Type F, one polypropylene elbow.	7.11 772 pampa
х	Х	P-58-0162	2" NPT CAMELOT QUICK CONNECT FITTINGS KIT - Same	All 2" pumps
		Was June Approximate	as P-58-0161 except 2" adapters and elbow.	790 - 5 (2000)
Х	Х	P-58-0163	3" NPT CAMELOT QUICK CONNECT FITTINGS KIT - Same	All 3" pumps
, I	.	D 50 0155	as P-58-0161 except 3" adapters and elbow.	
Х	Х	P-58-0179A	TWO VITON LIP SEALS - For cast pedestal, consult fac-	Cast pedestal mounted
	х	P-58-702EP-P	tory. REBUILD KIT - contains impeller, volute, all seals and elasto-	All EDDM fitted number with 704, 20 impeller
	^	1 -50-7 UZEP-P	mers for EPDM fitted 'S' pumps using the 704-30 impeller.	All EPDM fitted pumps with 704-30 impeller
	х	P-58-702EP-II	REBUILD KIT - contains impeller, volute, all seals and elasto-	All EPDM fitted pumps with 706-30 impeller
	.,		mers for EPDM fitted 'S' pumps using the 706-30 impeller.	2. 2 m mod pampo with 1 00-00 mpeller
	х	P-58-954EP-Y	REBUILD KIT - containes impeller, volute, all seals and elasto-	All EPDM fitted pumps with 974-30 impeller
			mers for EPDM fitted 'S' pumps using the 974-30 impeller.	, ,
	200000			AUICI
_	X	P-58-0210	HARDWARE KIT - All screws, shim and ket to repair	All 'S' pumps.

Minimum order: \$ 25.00 Net

				rage 3		
OPTION	KIT	PART NUMBER	DESCRIPTION	TYPES OF 'S' PUMPS TO BE USED WITH/ON		
X	_	P-58-0181BA		All pumps		
			POLYPROPYLENE ENCAPSULATED IMPELLER SCREW-	7.0		
,	v	D 50 04041 A	Replaces standard stainless steel impeller screw, P-58-0716	All pumps		
X	Х	P-58-0181LA	10, Buna-N 'O'-ring. POLYPROPYLENE ENCAPSULATED IMPELLER SCREW			
x	х	P-58-0181VA	- As above w/EPDM 'O'-ring.	All pumps		
^	^	' ' ' ' ' '	POLYPROPYLENE ENCAPSULATED IMPELLER SCREW	All pullips		
X	Х	P-58-0185	- As above w/Viton 'O'-ring.	Allpumps		
			MOTOR CONVERSION KIT - Same as P-58-0186, except	300000000000000000000000000000000000000		
X	Х	P-58-0186	for Series 100 motors	All pumps		
	ĺ	D 50 0400D 4	MOTOR CONVERSION KIT - All parts needed to close-couple			
X	-	P-58-0188BA	pump to series 90 European motors.	All pumps		
			RYTON® ENCAPSULATED IMPELLER SCREW - Replaces standard stainless steel impeller screw, P-58-0716 10, Buna-	All pumps		
x	_	P-58-0188LA	N 'O'-ring.	All pullips		
			RYTON ENCAPSULATED IMPELLER SCREW - Same as			
x	_	P-58-0188VA	P-58-0188B A, except EPDM 'O'-ring.	Allpumps		
			RYTON ENCAPSULATED IMPELLER SCREW - Same as			
			P-58-0188B A, except Viton 'O'-ring.	All polyester 'S' pumps w/EPDM		
-	v	P-58-0211	FILL AND DOALN BLUG KIT with EDDM HOLL in the			
X	Х		FILL AND DRAIN PLUG KIT- with EPDM "O"-rings ABRASION RESISTANT LINED VOLUTE - See parts list or	All polyoptor numpo		
_	_	P-58-0734	consult factory.	All polyester pumps		
	3000	1 00 0704	STRAINER, 1½" NPT - For end of suction hose, molded			
_	_	P-58-073491	polyethylene.	All 1½" pumps		
			STRAINER, 11/2" NPT - Same as above except molded in	1		
-	-	P-58-0733	Halar.	All 1½" pumps		
			STRAINER, 2" NPT - For end of suction hose, molded in	8.6.2.		
-	-	P-58-0733 91	polyethylene.	All 2" pumps		
	_	P-58-0757	STRAINER, 2" NPT - Same as P-58-0733 except molded in Halar.	All 2" pumps		
	_	1 -30-0737	STRAINER, 3" NPT - For end of suction hose, molded	All 2 pullips		
_	_	P-58-075791	polyethylene.	All 3" pumps		
			STRAINER, 3" NPT - Same as P-58-0757 except molded			
-	-	P-58-075340	in Halar.	All 3" pumps		
			ELBOW, 90°, 11/2" MALE x FEMALE NPT STREET ELL,			
-	-	P-58-075240	Molded polypropylene.	All 1½" pumps		
		P-58-075640	ELBOW, 90°, 2" MALE x FEMALE NPT STREET ELL, Molded polypropylene.	AHOHaurana		
-	_	F-36-073040	ELBOW, 90°, 3" MALE x FEMALE NPT STREET ELL, Molded	All 2" pumps		
_	_	P-58-0785	polypropylene.	All 3" pumps		
		CO DEPARTS HEROSTOSTICS	COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to	,,		
-	_	P-58-0786	5/8" diameter shaft.	Pedestalmountedpumpswith56frameelectric		
			COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to	motor		
			7/8" diameter shaft.	Pedestal mounted pumps with 143T, 145T, or		
-	_	P-58-0787	COLIDI INC. EL EVIDLE. Connecto 2/4" diameter al affita	184 frame size electric motors or engines hav-		
			COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to 1-1/8" diameter shaft.	ing 7/8" diameter shaft. Pedestal mounted pumps with 182T or 184T		
_	_	P-58-0788	i-1/o dialifetei sijait.	frame size electric motors or engines having		
			COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to	1-1/8" diameter shaft.		
			1-3/8" diameter shaft.	Pedestalmountedpumpswith213or215frame		
-	_	P-58-0875		size electric motors or engines having 1-3/8"		
			COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to	diameter shaft.		
-	_	P-58-0876	1" diameter shaft.	Pedestal mounted pumps with engines or mo-		
	//		COUPLING, FLEXIBLE - Connects 3/4" diameter shaft to	tors having 1" diameter shaft.		
Pagistand Tadamaka:						

Registered Trademarks:

Hastelloy- Haynes International Viton - DuPont Dow Elastomers Kynar - Atochem

Ryton - Phillips Chemical Halar - Ausimont

F.O.B. Lancaster, Pennsylvania

All prices and specifications subject to change without notice



41 Industrial Circle Lancaster, PA 17601-5927 U.S.A.

717-925-8240 800-233-3861 Email: sales@pacerpumps.com FAX: 717-656-0477

www.pacerpumps.com