



Datasheet for TN2T6AKL71FT0



**Breakdown List**

Item number: ITM-00042467	
Part	Description
TN2	Sliderbar without a spring with Left Hand
T6	AT Head with No Lockout
AKL71	Master with dustcover access key adaptor (quantity 1)
FT0	Foot

## Datasheet for TN2T6AKL71FT0

### Technical Specification

amGardpro is the ultimate range of safety gate switches, from Fortress Interlocks. The range has a unique modular construction which allows easy configuration and provides total electro-mechanical solutions for practically any safeguarding application up to SIL3 (EN/IEC 60261) Category 4 and PLe (EN/ISO 13849-1), as approved by independent test house TUV.

#### Technical Specification

Housing Materials	T6	Zinc Alloy to BSEN12844 Stainless Steel to BS3146
	AKL71	Die-cast Zinc Alloy
Internal Materials	AKL71	All Stainless Steel
Colour	TN2	Stainless Steel
	T6	Black and Stainless Steel
Paint Finishes	T6	30% Gloss powder coat on passivated zinc alloy
Paint Body	AKL71	Black
Paint Lid	AKL71	Red
Paint Lock	AKL71	Satin Chrome Plated
Paint Lock Front	AKL71	Stainless Steel
Ambient Temperature	-5°C to 80°C (23°F to 176°F)	
Environment	TN2	Indoor & Outdoor
	T6	
	AKL71	
Retention Force	TN2	10,000N(locked)
	T6	
Mechanical Life	TN2	1,000,000 Operating Cycles
	T6	1,000,000 Switching Cycles
	AKL71	
B10d	TN2	5,000,000
	T6	
	AKL71	
Performance Level	TN2	PLe
	T6	
	AKL71	

Datasheet for TN2T6AKL71FT0

Full Dimensional Drawing

